


Suicide Epidemiology in the United States, 2004

NCSPT

Suicide Preventability Workshop

Created 2007



U.S. Suicides, 2004

- Number of suicides: 32,439
- Rate of suicide: 10.9/100,000
- 11th leading cause of death



Suicides, by sex (2004)

	<u>Number</u>	<u>Rate/100,000</u>
Male	25,566	18.0
Females	6,873	4.5
Total	32,439	10.9




Suicides, by Race/Ethnicity

	<u>Number</u>	<u>Rate</u>
White	27,001	12.9
Black	1,970	5.5
A/PI	755	5.9
AI/AN	385	15.4
Hispanic	2,207	5.9

White=non-Hispanic; Black=non-Hispanic; A/PI=non-Hispanic
Asian/Pacific Islander; AI/AN= non-Hispanic American Indian/
Alaskan Native

Suicides by Age, All Races, Both Sexes, 2004






Suicides by Age, US Population, 2004

AGE	Number of Suicides	Rate of Suicide*
10-14	283	1.3
15-24	4,316	10.4
25-34	5,074	12.7
35-44	6,638	15.1
45-54	6,906	16.6

* Per 100,000




Suicides by Age, US Population, 2004

AGE	Number of Suicides	Rate of Suicide*
55-64	4,011	13.8
65-74	2,279	12.3
75-84	2,120	16.3
85+	799	16.4

* Per 100,000


Suicide Rates by Race/Ethnicity and Age, 2004




Non-Hispanic, African American Suicides by Age, 2004




Number of Suicides by Sex and Age, All Races 2004




Rates of Suicide By Sex and Age, All Races 2004







Male Suicides by Age, All Races, 2004



Female Suicides by Age, All Races, 2004



2004, United States
Suicide
Ages 15–24, All Races, Both Sexes
Total Deaths: 4,316



NEC means Not Elsewhere Classifiable.

WISQARS™

Produced by: Office of Statistics and Programming, National Center for Injury Prevention and Control, Centers for Disease Control and Prevention
 Data Source: National Center for Health Statistics (NCHS), National Vital Statistics System




FIGURE 2-1 Rates of Suicide and Homicide in the United States: 1900–2000. Based on data from the Bureau of Justice Statistics (2001), Bureau of the Census (1976), Hoyert et al. (2001), Minino and Smith (2001), and NCHS (2001). Inconsistencies in reporting before 1933 may account for some of the early fluctuations in rates.

FREQUENCY OF SUICIDAL IDEATION AND BEHAVIOR

— U.S. HIGH-SCHOOL STUDENTS —

(N=15,240, 2003, 12-Month Incidence)

	RATE	TEENS 15–19*
Ideation	16.9% (\pm 0.7)	(3.4 million)
Attempt	8.5% (\pm 1.1)	(1.7 million)
Attempt requiring medical attention	2.9% (\pm 0.7)	(590,000)
SUICIDE (age 15–19)**	.007%	(1,513)

Grunbaum et al. 2004 (YRBS); *2002 population; **Anderson & Smith 2005 (2002 data)